

SPARENITY SPAWHITE

Page: 1

Compilation date: 19/05/2015

**Revision date:** 04/02/2019

Revision No: 2

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SPARENITY SPAWHITE

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Professional laundry product - destainer

# 1.3. Details of the supplier of the safety data sheet

Company name: Sparenity

Unit 5 Gilchrist Thomas Industrial Estate

Blaenavon Pontypool Torfaen NP4 9RL

United Kingdom **Tel:** 01495 792211

Fax: 01495 792608

Email: info@sparenity.co.uk

# 1.4. Emergency telephone number

Emergency tel: 01495 792211

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318

Most important adverse effects: Harmful if swallowed. May cause respiratory irritation. Causes skin irritation. Causes

serious eye damage.

# 2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

H335: May cause respiratory irritation.

H315: Causes skin irritation.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark





### SPARENITY SPAWHITE

Page: 2

Signal words: Danger

Precautionary statements: P280: Wear protective gloves/protective clothing and eye/face protection.

P260: Do not breathe vapours.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of water. P301+P310: IF SWALLOWED: Immediately call a doctor.

P330: Rinse mouth.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

Haz. ingredients (label): HYDROGEN PEROXIDE SOLUTION

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

HYDROGEN PEROXIDE SOLUTION - REACH registered number(s): 01-2119485845-22- XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-765-0	7722-84-1	-	Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A: H314	30-50%

## Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

SPARENITY SPAWHITE

Page: 3

# 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers

leak-side up to prevent the escape of liquid.

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Small spill: Dilute with water and mop up if water-soluble or absorb with an inert dry

material and place in an appropriate waste disposal container Large spill: Absorb with non-combustible, absorbent material e.g. dry sand, earth, vermiculite or diatomaceous earth. Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

# 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

**SPARENITY SPAWHITE** 

Page: 4

# 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

# **Hazardous ingredients:**

#### **HYDROGEN PEROXIDE SOLUTION...100%**

# Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1.4 mg/m3	2.8 mg/m3	-	-

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal use conditions

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Slight, Pungent

Solubility in water: Miscible in all proportions

Viscosity: Non-viscous

Boiling point/range°C: 100 - 120 Relative density: 1.1 - 1.2

**pH**: 1 - 4

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

SPARENITY SPAWHITE

Page: 5

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Hazardous ingredients:**

### **HYDROGEN PEROXIDE SOLUTION...100%**

ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	376	mg/kg
SKN	RAT	LD50	4060	mg/kg

# Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

 $\label{local_local_local} \textbf{Ingestion:} \ \ \text{There may be soreness and redness of the mouth and throat.}$ 

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

SPARENITY SPAWHITE

Page: 6

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

**Section 14: Transport information** 

14.1. UN number

UN number: UN2014

14.2. UN proper shipping name

Shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)

Transport class: 5.1 (8)

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

# **SPARENITY SPAWHITE**

Page: 7

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

#### Section 16: Other information

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H271: May cause fire or explosion; strong oxidiser.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. \\